

P301 Elektra

SAMPLE TYPE

FlowerSTEEP HILL ID
AR67194

RECEIVED

04/22/19

REPORTED

04/26/19

CUSTOMER

Kat's Naturals

5876 SR 28
Dunlap, TN, AR 37327

Hemp - Kat's Naturals

TEST NAME

Extended Terpenes

METHOD NAME

SOP-069-AR

Terpene	%	mg/g	LOD mg/g	LOQ mg/g
α -Bisabolol	0.090	0.90	0.033	0.111
endo-Borneol	ND	ND	0.0153	0.051
Camphene	< LOQ	< LOQ	0.0147	0.049
Camphor	ND	ND	0.0195	0.065
3-Carene	ND	ND	0.0167	0.055
Caryophyllene Oxide	0.022	0.22	0.044	0.146
β -Caryophyllene	0.125	1.25	0.023	0.077
α -Cedrene	ND	ND	0.0144	0.048
Cedrol	ND	ND	0.032	0.108
Eucalyptol	< LOQ	< LOQ	0.0165	0.055
β -Farnesene	0.164	1.64	0.030	0.101
Fenchol	ND	ND	0.0179	0.060
Fenchone	ND	ND	0.0194	0.064
Geraniol	ND	ND	0.033	0.110
Geranyl Acetate	ND	ND	0.028	0.093

ND - Not Detected
< LOQ - Below Limit of
Quantitation

LOD - Limit of Detection
LOQ - Limit of Quantitation

P301 Elektra

TEST NAME

Extended Terpenes

METHOD NAME
SOP-069-AR

Terpene	%	mg/g	LOD mg/g	LOQ mg/g
Guaiol	0.121	1.21	0.051	0.169
α -Humulene	0.047	0.47	0.0161	0.053
Isoborneol	ND	ND	0.0196	0.065
Isopulegol	ND	ND	0.028	0.092
Limonene	0.041	0.41	0.0096	0.032
Linalool	0.022	0.22	0.026	0.087
Menthol	ND	ND	0.020	0.068
β -Myrcene	0.47	4.7	0.0119	0.040
Nerol	ND	ND	0.024	0.081
cis-Nerolidol	ND	ND	0.0174	0.058
trans-Nerolidol	0.033	0.33	0.041	0.137
cis- β -Ocimene	0.044	0.44	0.0138	0.046
trans- β -Ocimene	0.0157	0.157	0.026	0.086
α -Phellandrene	ND	ND	0.0162	0.054
α -Pinene	0.064	0.64	0.0134	0.045
β -Pinene	0.034	0.34	0.0126	0.042
Pulegone	ND	ND	0.0181	0.060
Sabinene	ND	ND	0.0092	0.031
Sabinene Hydrate	ND	ND	0.0145	0.048
α -Terpinene	ND	ND	0.0117	0.039
γ -Terpinene	ND	ND	0.0134	0.044
Terpineol	0.0096	0.096	0.0192	0.064
Terpinolene	< LOQ	< LOQ	0.035	0.118
Valencene	0.0103	0.103	0.027	0.090
Total Measured	1.31	13.1		

ND - Not Detected
< LOQ - Below Limit of Quantitation

LOD - Limit of Detection
LOQ - Limit of Quantitation

CERTIFICATION

BRANDON THORNTON
PHARM. D. CO-OWNER & CEO

CERTIFICATE #: AR67194-7
REVISION: TRP-001 Rev. 3.

The above results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.